

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the present application:

Listing of Claims

- 1) (Currently Amended) A transfer bag comprising a bag having a first porous section and a second non-porous section and contents in the second section, wherein the contents are sterilized by a means selected from the group consisting of steam and sterilizing gas, and the bag is sealed adjacent to an interface between the first and second portions to form a sterile, sealed region and the contents and the second section are under a condition selected from the group consisting of a slight vacuum and a slight positive pressure to visually indicate integrity of the contents in the second section.
- 2) (Original) The transfer bag of claim 1 wherein the bag further comprises a closed collar attached to the non-porous section of the bag that is designed to fit onto a transfer port.
- 3) (Canceled)
- 4) (Canceled)
- 5) (Previously Presented) The transfer bag of claim 1 wherein the second section and its contents are under a slight vacuum.
- 6) (Previously Presented) The transfer bag of claim 1 wherein the second section of the bag and its contents are under a slight positive pressure.
- 7) (Previously Presented) The transfer bag of claim 1 wherein the contents have been steam sterilized in the bag and the second section contains a pressure port in its second section so that the bag and its contents are under a slight positive pressure.
- 8) (Original) The transfer bag of claim 1 wherein the first section of the bag forms a portion of a first surface of the bag.
- 9) (Original) The transfer bag of claim 1 wherein the bag has two surfaces and the first section of the bag forms a portion of both surfaces of the bag.
- 10) (Original) The transfer bag of claim 1 wherein the bag has two surfaces, the first section of the bag forms a portion of both surfaces of the bag and the first section of each surface is in register with each other.
- 11) (Original) The transfer bag of claim 1 wherein the bag has two surfaces and a first and second end, the first section of the bag forms a portion of both surfaces of the bag at the first end of the bag and the first section of each surface is in register with each other.

- 12) (Original) The transfer bag of claim 1 wherein the bag has two surfaces and a first and second end, the first section of the bag forms a portion of one surface of the bag at the first end of the bag.
- 13) (Previously Presented) The transfer bag of claim 1 wherein the contents have been steam sterilized in the bag and a vacuum port in the second section so that the second section of the bag and its contents are under a slight vacuum.
- 14) (Canceled)
- 15) (Canceled)
- 16) (Canceled)
- 17) (Canceled)
- 18) (Canceled)
- 19) (Canceled)
- 20) (Canceled)
- 21) (Currently Amended) A process for sterilizing and creating an visual indication of integrity comprising the steps of providing a bag having two sections, a first porous section and a second non-porous section, an open end and a closed end, filling the bag with a selected component, forming a first seal the bag at the open end, subjecting the bag and its contents to steam for a period of time sufficient to sterilize the contents, moving the contents to the second section of the bag and forming a second seal in the non-porous section between the contents and the porous section and further comprising the step of applying a vacuum to the second section during or after the formation of the second seal to create a visual indication of integrity.
- 22) (Currently Amended) A process for sterilizing and creating an indication of integrity comprising the steps of providing a bag having two sections, a first porous section and a second non-porous section, an open end and a closed end, filling the bag with a selected component, forming a first seal the bag at the open end, subjecting the bag and its contents to steam for a period of time sufficient to sterilize the contents, moving the contents to the second section of the bag, forming a second seal in the non-porous section between the contents and the porous section and further comprising the step of applying a

positive pressure to the second section during or after the formation of the second seal to create a visual indication of integrity.

- 23) (Currently Amended) A process for sterilizing and creating an indication of integrity comprising the steps of providing a bag having two sections, a first porous section and a second non-porous section, an open end and a closed end, filling the bag with a selected component, forming a first seal the bag at the open end, subjecting the bag and its contents to steam for a period of time sufficient to sterilize the contents, moving the contents to the second section of the bag, forming a second seal in the non-porous section between the contents and the porous section and further comprising the step of applying an visual integrity test to the bag after formation of the second seal by forming the bag with a condition selected from the group consisting of vacuum and positive pressure.
- 24) (Canceled)